


Cordless Electro Pneumatic Rotary Hammer 24 SDS Plus



Description

Heavy Duty Anchors are a high performance anchor specifically designed for medium to heavy duty applications on concrete. In-situ installation time is reduced due to the benefit of being a through fixing. Applications such as heavy machinery installations, cladding and structural steel work make this an ideal choice for all installers. Version types on offer are Loosebolt and Countersunk in Zinc Plated with Bolt Projecting in both Zinc and Stainless Steel.

Applications

- Structural Steelworks
- Heavy Machinery
- Structural Cladding
- Safety Barriers
- Heavy Duty Bracketry

Features & Benefits

- Fast Installation
- Long Life Protection
- External Usage
- Increased Load Potential
- Proof Test Anchor on Installation
- Through Fixing
- Zinc Plating
- High Tensile Comp
- Torque Controlled

SDS Max Drill Bits SDS-M



Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Working Length (mm)	Box Quantity
SDS12340M	12	340	200	/
SDS12540M	12	540	400	/
SDS12690M	12	690	550	/
SDS14340M	14	340	200	/
SDS14540M	14	540	400	/
SDS15340M	15	340	200	/
SDS15540M	15	540	400	/
SDS16340M	16	340	200	/
SDS16540M	16	540	400	/
SDS18340M	18	340	200	/
SDS18540M	18	540	400	/
SDS20320M	20	320	200	/
SDS20520M	20	520	400	/
SDS20920M	20	920	800	/
SDS22320M	22	320	200	/
SDS22520M	22	520	400	/
SDS22920M	22	920	800	/
SDS24320M	24	320	200	/
SDS24520M	24	520	400	/
SDS25320M	25	320	200	/
SDS25520M	25	520	400	/
SDS25920M	25	920	800	/
SDS28370M	28	370	250	/
SDS28570M	28	570	450	/
SDS28670M	28	670	550	/
SDS30370M	30	370	250	/
SDS30570M	30	570	450	/
SDS32370M	32	370	250	/
SDS32570M	32	570	450	/
SDS32920M	32	920	800	/
SDS35370M	35	370	250	/
SDS35570M	35	570	450	/
SDS35670M	35	670	550	/
SDS38370M	38	370	250	/
SDS38570M	38	570	450	/
SDS40370M	40	370	250	/
SDS40570M	40	570	450	/
SDS40920M	40	920	800	/

Cat.
G

Category G Power Tools & Accessories





Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Working Length (mm)	Box Quantity
SDS04110P	4	110	50	/
SDS05110P	5	110	50	/
SDS05160P	5	160	100	/
SDS05210P	5	210	150	/
SDS5.5110P	5.5	110	50	/
SDS5.5160P	5.5	160	100	/
SDS5.5210P	5.5	210	150	/
SDS06110P	6	110	50	/
SDS06160P	6	160	100	/
SDS06210P	6	210	150	/
SDS06260P	6	260	200	/
SDS6.5110P	6.5	110	50	/
SDS6.5160P	6.5	160	100	/
SDS6.5210P	6.5	210	150	/
SDS07110P	7	110	50	/
SDS07160P	7	160	100	/
SDS07210P	7	210	150	/
SDS08110P	8	110	50	/
SDS08160P	8	160	100	/
SDS08210P	8	210	150	/
SDS08260P	8	260	200	/
SDS08450P	8	450	400	/
SDS08600P	8	600	540	/
SDS09160P	9	160	100	/
SDS09210P	9	210	150	/
SDS10110P	10	110	50	/
SDS10160P	10	160	100	/
SDS10210P	10	210	150	/
SDS10260P	10	260	200	/
SDS10310P	10	310	250	/
SDS10360P	10	360	300	/
SDS10450P	10	450	400	/
SDS10600P	10	600	540	/
SDS11110P	11	110	50	/
SDS11160P	11	160	100	/
SDS11210P	11	210	150	/
SDS11260P	11	260	200	/
SDS11310P	11	310	250	/
SDS12160P	12	160	100	/
SDS12210P	12	210	150	/
SDS12260P	12	260	200	/
SDS12300P	12	300	250	/
SDS12450P	12	450	400	/
SDS12600P	12	600	540	/

SDS Plus Drill Bits SDS-P



Cat.
G

Category **G** Power Tools & Accessories


Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Working Length (mm)	Box Quantity
SDS13150P	13	150	100	/
SDS13260P	13	260	200	/
SDS13310P	13	310	250	/
SDS13360P	13	360	300	/
SDS13450P	13	450	400	/
SDS13600P	13	600	540	/
SDS14160P	14	160	100	/
SDS14210P	14	210	150	/
SDS14260P	14	260	200	/
SDS14310P	14	310	250	/
SDS14450P	14	450	400	/
SDS14600P	14	600	540	/
SDS15160P	15	160	100	/
SDS15260P	15	260	200	/
SDS15450P	15	450	400	/
SDS16160P	16	160	100	/
SDS16210P	16	210	150	/
SDS16310P	16	310	250	/
SDS16450P	16	450	400	/
SDS16600P	16	600	540	/
SDS17210P	17	210	150	/
SDS18210P	18	210	150	/
SDS18260P	18	260	200	/
SDS18310P	18	310	250	/
SDS18450P	18	450	400	/
SDS18600P	18	600	540	/
SDS19210P	19	210	150	/
SDS19450P	19	450	400	/
SDS20210P	20	210	150	/
SDS20260P	20	260	200	/
SDS20310P	20	310	250	/
SDS20450P	20	450	400	/
SDS20600P	20	600	540	/
SDS22260P	22	260	200	/
SDS22450P	22	450	400	/
SDS24260P	24	260	200	/
SDS24450P	24	450	400	/
SDS25260P	25	260	200	/
SDS25450P	25	450	400	/
SDS25600P	25	600	540	/
SDS26260P	26	260	200	/
SDS26450P	26	450	400	/





Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Working Length (mm)	Box Quantity
SS12410	12	410	250	/
SS12560	12	560	410	/
SS14560	14	560	410	/
SS15400	15	400	250	/
SS16400	16	400	250	/
SS16560	16	560	410	/
SS18400	18	400	250	/
SS18560	18	560	410	/
SS19560	19	560	410	/
SS20400	20	400	250	/
SS20560	20	560	410	/
SS22400	22	400	250	/
SS22560	22	560	410	/
SS24400	24	400	250	/
SS25400	25	400	250	/
SS26560	26	560	410	/
SS26580	26	580	700	/
SS28400	28	400	250	/
SS28410	28	410	250	/
SS30400	30	400	250	/
SS30560	30	560	410	/
SS32400	32	400	250	/
SS32560	32	560	410	/
SS36400	36	400	250	/
SS36560	36	560	410	/
SS38400	38	400	250	/
SS38560	38	560	410	/

Hollow Core Drills HCD



Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Box Quantity
HCD030	30	89	/
HCD035	35	89	/
HCD040	40	89	/
HCD045	45	89	/
HCD050	50	89	/
HCD055	55	89	/
HCD060	60	89	/
HCD065	65	89	/
HCD075	75	89	/
HCD080	80	89	/
HCD090	90	89	/
HCD100	100	89	/
HCD115	115	89	/
HCD125	125	89	/
HCD130	130	89	/
HCD150	150	89	/

Category **G** Power Tools & Accessories

Cat.
G



Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Working Length (mm)	Box Quantity
RDB040075	4	75	40	/
RDB045085	4.5	85	50	/
RDB045150	4.5	150	85	/
RDB050085	5	85	50	/
RDB050150	5	150	85	/
RDB055085	5.5	85	50	/
RDB055150	5.5	150	85	/
RDB060100	6	100	60	/
RDB060150	6	150	85	/
RDB065100	6	100	60	/
RDB065150	6	150	85	/
RDB065300	6	300	250	/
RDB070100	7	100	60	/
RDB070150	7	150	85	/
RDB070200	7	200	135	/
RDB070300	7	300	250	/
RDB080120	8	120	80	/
RDB080150	8	150	85	/
RDB080200	8	200	135	/
RDB080300	8	300	250	/
RDB080400	8	400	350	/
RDB080600	8	600	550	/
RDB090120	9	120	80	/
RDB090200	9	200	135	/
RDB100120	10	120	80	/
RDB100150	10	150	85	/
RDB100200	10	200	135	/
RDB100300	10	300	250	/
RDB100400	10	400	350	/
RDB100600	10	600	550	/
RDB110150	11	150	90	/
RDB110300	11	300	250	/
RDB120150	12	150	90	/
RDB120200	12	200	135	/
RDB120300	12	300	250	/
RDB120400	12	400	350	/
RDB130150	13	150	90	/
RDB130300	13	300	250	/
RDB130400	13	400	350	/
RDB140150	14	150	90	/
RDB140300	14	300	250	/
RDB140400	14	400	350	/
RDB150150	15	150	90	/
RDB150300	15	300	250	/
RDB150400	15	400	350	/

High Speed Steel Twist Drill Bits HSS-T



Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Box Quantity
HSS020T	2	49	10 /
HSS025T	2.5	53	10 /
HSS030T	3	61	10 /
HSS032T	3.2	65	10 /
HSS035T	3.5	70	10 /
HSS040T	4	75	10 /
HSS042T	4.2	75	10 /
HSS045T	4.5	80	10 /
HSS050T	5	86	10 /
HSS060T	6	93	10 /
HSS080T	8	117	10 /
HSS100T	10	133	10 /

High Speed Steel Twist Drill Bits HSS-C



Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Box Quantity
HSS020C	2.0	49	10 /
HSS025C	2.5	53	10 /
HSS030C	3.0	61	10 /
HSS032C	3.2	65	10 /
HSS035C	3.5	70	10 /
HSS040C	4.0	75	10 /
HSS042C	4.2	75	10 /
HSS045C	4.5	80	10 /
HSS050C	5.0	86	10 /
HSS060C	6.0	93	10 /
HSS065C	6.5	101	10 /
HSS070C	7.0	109	10 /
HSS075C	7.5	109	10 /
HSS080C	8.0	117	10 /
HSS090C	9.0	125	10 /
HSS100C	10.0	133	10 /
HSS110C	11.0	142	5 /
HSS120C	12.0	151	5 /
HSS130C	13.0	151	5 /

High Speed Steel Twist Drill Bits HSS-B



Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Box Quantity
HSS010B	1.0	35	10 /
HSS015B	1.5	40	10 /
HSS016B	1.6	43	10 /
HSS020B	2.0	49	10 /
HSS025B	2.5	53	10 /
HSS030B	3.0	61	10 /
HSS032B	3.2	65	10 /
HSS033B	3.3	65	10 /
HSS035B	3.5	70	10 /
HSS040B	4.0	75	10 /
HSS042B	4.2	75	10 /
HSS045B	4.5	80	10 /
HSS048B	4.8	86	10 /
HSS050B	5.0	86	10 /
HSS052B	5.2	86	10 /
HSS055B	5.5	93	10 /
HSS060B	6.0	93	10 /
HSS065B	6.5	101	10 /
HSS068B	6.8	109	10 /
HSS070B	7.0	109	10 /
HSS075B	7.5	109	10 /
HSS080B	8.0	117	10 /
HSS085B	9.5	117	10 /
HSS090B	9.0	125	10 /
HSS095B	9.5	125	10 /
HSS100B	10.0	133	10 /
HSS102B	10.2	133	10 /
HSS105B	10.5	133	10 /
HSS110B	11.0	142	5 /
HSS115B	11.5	142	5 /
HSS120B	12.0	151	5 /
HSS125B	12.5	151	5 /
HSS130B	13.0	151	5 /

High Speed Steel Twist Drill Bits HSS-BL



Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Working Length (mm)	Box Quantity
HSS030BL	3.0	100	66	10 /
HSS032BL	3.2	106	69	10 /
HSS035BL	3.5	112	73	10 /
HSS040BL	4.0	119	78	10 /
HSS048BL	4.8	132	87	10 /
HSS050BL	5.0	132	87	10 /
HSS060BL	6.0	139	91	10 /
HSS080BL	8.0	165	109	10 /
HSS100BL	10.0	184	121	10 /

High Speed Steel Twist Drill Bits HSS-B



Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Box Quantity
HSS1/64B	1/64"	1 3/16"	10 /
HSS1/32B	1/32"	1 3/16"	10 /
HSS1/16B	1/16"	1 11/16"	10 /
HSS5/64B	5/64"	1 15/16"	10 /
HSS3/32B	3/32"	2 1/4"	10 /
HSS7/64B	7/64"	2 3/8"	10 /
HSS1/8B	1/8"	2 9/16"	10 /
HSS9/64B	9/64"	2 3/4"	10 /
HSS5/32B	5/32"	2 15/16"	10 /
HSS11/64B	11/64"	3 1/8"	10 /
HSS3/16B	3/16"	3 3/8"	10 /
HSS13/64B	13/64"	3 3/8"	10 /
HSS7/32B	7/32"	3 11/16"	10 /
HSS15/64B	15/64"	3 11/16"	10 /
HSS1/4B	1/4"	4"	10 /
HSS17/64B	17/64"	4 5/16"	10 /
HSS9/32B	9/32"	4 5/16"	10 /
HSS19/64B	19/64"	4 5/8"	10 /
HSS5/16B	5/16"	4 5/8"	10 /
HSS21/64B	21/64"	4 5/8"	10 /
HSS11/32B	11/32"	4 5/16"	10 /
HSS23/64B	23/64"	4 5/16"	10 /
HSS3/8B	3/8"	5 1/4"	5 /
HSS25/64B	25/64"	5 1/4"	5 /
HSS13/32B	12/32"	5 1/4"	5 /
HSS27/64B	27/64"	5 9/16"	5 /
HSS7/16B	57/16"	5 9/16"	5 /
HSS29/64B	29/64"	5 9/16"	5 /
HSS15/32B	15/32"	5 15/16"	5 /
HSS31/64B	31/64"	5 15/16"	5 /
HSS1/2B	1/2"	5 15/16"	5 /

High Speed Steel Twist Drill Bit Sets HSS




HSS19BS




HSS25BS

Code	Drill Bit Diameter	Length	Box Quantity
HSS19BS	1.0-10.0		1/
HSS25BS	1.0-13.0	25	1/



Product Code	Saw Diameter (mm)	Box Quantity
BMHS0	14	14 /
BMHS0	16	16 /
BMHS0	19	19 /
BMHS0	20	20 /
BMHS0	21	21 /
BMHS0	22	22 /
BMHS0	24	24 /
BMHS0	25	25 /
BMHS0	27	27 /
BMHS0	29	29 /
BMHS0	30	30 /
BMHS0	32	32 /
BMHS0	33	33 /
BMHS0	35	35 /
BMHS0	38	38 /
BMHS0	40	40 /
BMHS0	41	41 /
BMHS0	43	43 /
BMHS0	46	46 /
BMHS0	48	48 /
BMHS0	51	51 /
BMHS0	52	52 /
BMHS0	54	54 /
BMHS0	57	57 /
BMHS0	59	59 /
BMHS0	60	60 /
BMHS0	64	64 /
BMHS0	65	65 /
BMHS0	67	67 /
BMHS0	68	70 /
BMHS0	70	70 /
BMHS0	73	73 /
BMHS0	76	76 /
BMHS0	79	79 /
BMHS0	83	83 /
BMHS0	86	86 /
BMHS0	92	92 /
BMHS0	95	95 /
BMHS	102	102 /
BMHS	105	105 /
BMHS	108	108 /
BMHS	111	111 /
BMHS	114	114 /
BMHS	121	121 /
BMHS	127	127 /
BMHS	140	140 /
BMHS	152	152 /

Hex Shank Arbor HSA



Product Code	Hole Saws Diameter (mm)	Fitting (mm)	Box Quantity
HSA14030	14-30	3/8"	/
HSA32152	32-152	7/16"	/

Holesaw Kit Aluminium Case



Product Code	Hole Saws Diameter (mm)	Arbors (inch)	Type of Kit	Box Quantity
HK106080009E	16,20,25,32,40,51	1/4" & 7/16" + ADAPTER	ELECTRICIANS	1/s
HK106080009P	16,22,29,38,44,57	1/4" & 7/16" + ADAPTER	PLUMBERS	

Holesaw Kit Blowmold Case



Product Code	Hole Saws Diameter (mm)	Arbors (inch)	Type of Kit	Box Quantity
HK106081009E	16,20,25,32,40,51	1/4" & 7/16" + ADAPTER	ELECTRICIANS	1/
HK106081009P	16,22,29,38,44,57	1/4" & 7/16" + ADAPTER	PLUMBERS	

Holesaw Kit Blowmold Case



Product Code	Hole Saws Diameter (mm)	Arbors (inch)	Type of Kit	Box Quantity
HK106082009E	16,20,25,32,40,51	1/4" & 7/16" + ADAPTER	ELECTRICIANS	1/
HK106082009P	16,22,29,38,44,57	1/4" & 7/16" + ADAPTER	PLUMBERS	1/

Holesaw Kit Plastic Case



Product Code	Hole Saws Diameter (mm)	Arbors (inch)	Type of	Box Quantity
HK106083009E	16,20,25,32,40,51	1/4" & 7/16" + ADAPTER	ELECTRICIANS	1/
HK106083009P	16,22,29,38,44,57	1/4" & 7/16" + ADAPTER	PLUMBERS	

Flat Milling Wood Bits FMW



Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Working Length (mm)	Box Quantity
FMW06160	6	160	-	/
FMW08160	8	160	-	/
FMW10160	10	160	-	/
FMW12160	12	160	-	/
FMW13160	13	160	-	/
FMW14160	14	160	-	/
FMW16160	16	160	-	/
FMW17160	17	160	-	/
FMW18160	18	160	-	/
FMW19160	19	160	-	/
FMW20160	20	160	-	/
FMW22160	22	160	-	/
FMW24160	24	160	-	/
FMW25160	25	160	-	/
FMW28170	28	170	-	/
FMW30170	30	170	-	/
FMW32170	32	170	-	/
FMW35170	35	170	-	/
FMW38170	38	170	-	/
FMW40170	40	170	-	/

Brad Point Wood Bits BPW



Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Working Length (mm)	Box Quantity
BPW03060	3	60	30	/
BPW04075	4	75	43	/
BPW05085	5	85	50	/
BPW06090	6	90	52	/
BPW07110	7	110	8	/
BPW08120	8	120	75	/
BPW09125	9	125	78	/
BPW10130	10	130	80	/
BPW11140	11	140	90	/
BPW12150	12	150	100	/
BPW13150	13	150	100	/
BPW14160	14	160	105	/
BPW15170	15	170	105	/

Wood Auger Bits **WAB**

Product Code	Drill Bit Diameter (mm)	Total Length (mm)	Box Quantity
WAB06230	6	230	/
WAB06460	6	460	/
WAB08230	8	230	/
WAB08460	8	460	/
WAB10230	10	230	/
WAB10460	10	460	/
WAB12230	12	230	/
WAB12460	12	460	/
WAB14230	14	230	/
WAB14460	14	460	/
WAB16230	16	230	/
WAB16460	16	460	/
WAB18230	18	230	/
WAB18460	18	460	/
WAB20230	20	230	/
WAB20460	20	460	/
WAB22230	22	230	/
WAB22460	22	460	/
WAB24230	24	230	/
WAB24460	24	460	/
WAB26230	26	230	/
WAB26460	26	460	/
WAB28230	28	230	/
WAB28460	28	460	/
WAB30230	30	230	/
WAB30460	30	460	/
WAB32230	32	230	/
WAB32460	32	460	/
WAB34230	34	230	/
WAB34460	34	460	/
WAB35230	35	230	/
WAB35460	35	460	/
WAB36230	36	230	/
WAB36460	36	460	/
WAB38230	38	230	/
WAB38460	38	460	/
WAB40230	40	230	/
WAB40460	40	460	/

Metal Re Inforced Depressed Center Cutting Wheels AD-MDC



Product Code	Abrasive Disc Dimension (mm)	Abrasive Disc Dimension (inch)	Max. Op. Speed (r.p.m)	Box Quantity
AD100MDC	100x3.2x16.0	4"x1/8"x5/8"	15,200	
AD115MDC	115x3.2x22.2	4 1/2"x1/8"x7/8"	13,300	
AD125MDC	125x3.2x22.2	5x1/8"x7/8"	12,200	
AD180MDC	180x3.2x22.2	7"x1/8"x7/8"	8,500	
AD230MDC	230x3.2x22.2	9x1/8"x7/8"	6,600	

Metal- Re Inforced Depressed Center Grinding Wheels AD-MDG



Product Code	Abrasive Disc Dimension (mm)	Abrasive Disc Dimension (inch)	Max. Op. Speed (r.p.m)	Box Quantity
AD100MDG	100x3.2x16.0	4"x1/8"x5/8"	15,200	5/
AD115MDG	115x3.2x22.2	4 1/2"x1/8"x7/8"	13,300	5/
AD125MDG	125x3.2x22.2	5x1/8"x7/8"	12,200	5/
AD180MDG	180x3.2x22.2	7"x1/8"x7/8"	8,500	
AD230MDG	230x3.2x22.2	9x1/8"x7/8"	6,600	

Stone/Concrete – Re Inforced Depressed Center Cutting Wheels AD-CDC



Product Code	Abrasive Disc Dimension (mm)	Abrasive Disc Dimension (inch)	Max. Op. Speed (r.p.m)	Box Quantity
AD100CDC	100x3.2x16.0	4"x1/8"x5/8"	15,200	10/
AD115CDC	115x3.2x22.2	4 1/2"x1/8"x7/8"	13,300	10/
AD125CDC	125x3.2x22.2	5x1/8"x7/8"	12,200	10/
AD180CDC	180x3.2x22.2	7"x1/8"x7/8"	8,500	5/
AD230CDC	230x3.2x22.2	9x1/8"x7/8"	6,600	

Stone/Concrete – Re Inforced Depressed Center Grinding Wheels AD-CDG



Product Code	Abrasive Disc Dimension (mm)	Abrasive Disc Dimension (inch)	Max. Op. Speed (r.p.m)	Box Quantity
AD100CDG	100x3.2x16.0	4"x1/8"x5/8"	15,200	5/
AD115CDG	115x3.2x22.2	4 1/2"x1/8"x7/8"	13,300	5/
AD125CDG	125x3.2x22.2	5x1/8"x7/8"	12,200	5/
AD180CDG	180x3.2x22.2	7"x1/8"x7/8"	8,500	5/
AD230CDG	230x3.2x22.2	9x1/8"x7/8"	6,600	5/

Metal- Re Inforced Flat Cutting Wheels AD-MFC



Product Code	Abrasive Disc Dimention (mm)	Abrasive Disc Dimention (inch)	Max. Op. Speed (r.p.m)	Quantity
AD100MFC	100x3.2x16.0	4"x1/8"x5/8"	15,200	10/
AD115MFC	115x3.2x22.2	4 1/2"x1/8"x7/8"	13,300	10/
AD125MFC	125x3.2x22.2	5x1/8"x7/8"	12,200	10/
AD180MFC	180x3.2x22.2	7"x1/8"x7/8"	8,500	5/
AD230MFC	230x3.2x22.2	9x1/8"x7/8"	6,600	5/
AD300MFC	300x3.2x25.4	12x1/8"x1"	5,100	5/
AD350MFC	350x3.2x24.4	14x1/8"x1"	4,400	5/

Metal- Ultra Abrasive Disc AD-SFC



Product Code	Abrasive Disc Dimention (mm)	Abrasive Disc Dimention (inch)	Max. Op. Speed (r.p.m)	Box Quantity
AD115SFC	115x1.0x22.2	4 1/2"x1mm"x7/8"	13,300	10/

Stone/Concrete- Re Inforced Flat Cutting Wheels AD-CFC



Product Code	Abrasive Disc Dimention (mm)	Abrasive Disc Dimention (inch)	Max. Op. Speed (r.p.m)	Box Quantity
AD100CFC	100x3.2x16.0	4"x1/8"x5/8"	15,200	10/
AD115CFC	115x3.2x22.2	4 1/2"x1/8"x7/8"	13,300	10/
AD125CFC	125x3.2x22.2	5x1/8"x7/8"	12,200	10/
AD180CFC	180x3.2x22.2	7"x1/8"x7/8"	8,500	5/
AD230CFC	230x3.2x22.2	9x1/8"x7/8"	6,600	5/
AD300CFC	300x3.2x25.4	12x1/8"x1"	5,100	5/
AD350CFC	350x3.2x24.4	14x1/8"x1"	4,400	5/

Phillips Driver Bit



Product Code	Bit Length (mm)	Bit Design	Box Quantity
SDB25PH	25	PHILLIPS	1/
SDB50PH	50	PHILLIPS	1/

Slotted Driver Bit



Product Code	Bit Length (mm)	Bit Design	Box Quantity
SDB25FU	25	SLOTTED	1/
SDB50FU	50	SLOTTED	1/

Pozi Driver Bit



Product Code	Bit Length (mm)	Bit Design	Box Quantity
SDB25PZ	25	POZIDRIVE	1/
SDB50PZ	50	POZIDRIVE	1/

Hexagonal Driver Bit



Product Code	Bit Length (mm)	Bit Design	Box Quantity
SDB25HX	25	HEXAGONAL	1/
SDB50HX	50	HEXAGONAL	1/

Robertson Driver Bit



Product Code	Bit Length (mm)	Bit Design	Box Quantity
SDB25SQ	25	ROBERTSON	1/
SDB50SQ	50	ROBERTSON	1/

Torx Driver Bit



Product Code	Bit Length (mm)	Bit Design	Box Quantity
SDB25TX	25	TORX	1/
SDB50TX	50	TORX	1/

Magnetic Driver Bit



Product Code	Bit Length (mm)	Bit Design	Box Quantity
MBH60	60	MAGNETIC BIT HOLDER	1/
MNS65	65	MAGNETIC NUT SETTERS SHANK	1/